

AMERICAN ARMS



A well regulated Militia, being necessary to the security of a free State, the right of the people to keep and bear Arms, shall not be infringed.

Second Amendment to the Constitution

CATALOG NO. 103

\$5.00



SILVER OVER & UNDER SHOTGUNS

The Silver Series Over and Under Shotguns are recognized by shooters and hunters throughout North America for their sterling performance and value. Made in the famous "gun valley" of Brescia, Italy, the Silvers offer all of the features, handling characteristics and performance you expect from a fine European shotgun. American Arms invites your inspection and comparison – feature for feature and dollar for dollar– there is no better value!



- *Field Models – 12 ga., 16 ga., 20 ga., 28 ga. and .410 bore*
- *Competition Model – Sporting Clays or Skeet– 12 ga. & 20 ga.*
- *Specialty Models – 10 ga. - 3 1/2" and 12 ga. - 3 1/2"*
- *Made in Europe – to American specifications*
- *Full Featured – at very affordable prices*
- *Five Year Mechanical Warranty*



The American Arms' Silver Series Shotguns offer such standard features as:

- solid frames for durability and strength
- sealed actions to keep out dirt and weather
- self-adjusting locking bolts for years of trouble free service
- single selective triggers with positive movement
- top tang manual safeties
- steel mono-block barrel construction for perfect alignment and strength
- chrome molly steel barrels with vent ribs
- hard chromed bores for extended barrel life
- extra long forcing cones for improved shot pattern and reduced recoil
- walnut stocks and forends with cut checkering
- stocks feature cast off fit and rubber recoil pads
- priced hundreds of dollars less than comparable big name European over and unders



SILVER "UPLAND LITE"
"The Ultimate Upland Game Gun"
 12 ga. or 20 ga. with 3" Chambers
 26" Barrels with Choke Tubes (IC,M,F)



OTHER FEATURES: Walnut pistol grip stock with cast off fit and cushioned recoil pad • walnut semi-beavertail forearm • cut checkering • vent barrel rib • hard chromed bores • top tang manual safety

Tired of packing an unbalanced and heavy weight semi-auto or pump shotgun in the field? Check out the SILVER UPLAND LITE and see why we call it "The Ultimate Upland Game Gun." The SILVER UPLAND LITE 12 ga., 26" with 3" chambers is over one pound lighter and 3" shorter in overall length than a comparable pump or semi-auto shotgun. The SILVER UPLAND LITE's superb "between the hand" balance, light weight and shorter length will become increasingly apparent with every hour spent in the field. The over and under barrels, single selective mechanical trigger, auto selective ejectors and interchangeable choke system allow for "in the field" versatility that cannot be matched by any mono-barrel shotgun.

HUNTING • COMPETITION • SPECIALTY



SILVER I & II

12 ga. • 16 ga. • 20 ga. • 28 ga. • .410 bore

SILVER I: 12, 20, 28 ga. and .410 bore, all chambered 3" except the 28 ga. chambered 2 3/4" • Fixed chokes • Single Selective Mechanical Triggers • Top Tang Safety • Positive Extractors • Walnut Stock and Forend with Cut Checkering • Cushioned Recoil Pad • Chromed Bores • Vent Rib and Vented Joining Rib • Frame Engraved with Antique Silver Finish.

SILVER II: 12, 16, 20, 28 ga. and .410 bore • Same as Silver I Except – Auto Selective Ejectors • 12 & 20 Ga. With Choke Tubes: IC, MOD, FULL and Wrench. *Note: 28 ga. & .410 bore Have Schnable Style Forend.*

SILVER II 24 & 32 GA.: Limited supply of 24 & 32 ga. Silver II Shotguns are available each with 4 boxes of ammo.



SILVER SPORTING

Sporting Clays • Skeet
12 ga. & 20 ga.

**NEW FOR '96
20 GA.**

SILVER SPORTING: Standard Features–12 ga. with 2 3/4" chambers and tapered target rib • 20 ga. barrels with 3" chambers • 28" or 30" chrome moly steel barrels with elongated forcing cones, chromed bores, recoil porting, target bead sights and interchangeable "Franchoke" choke tubes

(SK-SK-IC-M) • top tang manual safety • Single selective mechanical trigger system • fast mounting sporting stock with cast-off fit, pistol grip palm swell and radius rubber recoil pad • figured walnut wood with cut checkering.



SILVER SPECIALTY MAGNUMS

10 ga. and 12 ga. with 3 1/2" chambers

SILVER SPECIALTY: Specialty Guns for Waterfowl and Turkey • Same as Silver II except Dark Non-reflective Wood and Metal Finish • Swivel Studs • 3 1/2" Chambers • Versatility for the "one gun owner" since the 3 1/2" chamber allows usage of 3" and 2 3/4" shells as well as 3 1/2" shells.

WT/OU 10: 10 ga. 3 1/2", Extractors, AAI Choke Tubes F & F
WS/OU 12: 12 ga., 28", 3 1/2", Auto Selective Ejectors, AAI Choke Tubes - IC-M-F
TS/OU 12: 12 ga., 24", 3 1/2", Auto Selective Ejectors, AAI Choke Tubes - IC-M-F

SPECIFICATIONS

MODEL	GAUGE	BBL. LENGTH	CHAMBER	CHOKES	AVG. WEIGHT
SILVER I	12	26" - 28"	3"	IC/M - M/F	6 lbs. 15 oz.
	20	26" - 28"	3"	IC/M - M/F	6 lbs. 12 oz.
	28	26"	2 3/4"	IC/M	5 lbs. 14 oz.
	.410	26"	3"	IC/M	6 lbs. 6 oz.
SILVER II	12	26" - 28"	3"	CT-3	6 lbs. 15 oz.
	16	26"	2 3/4"	IC/M	6 lbs. 13 oz.
	20	26"	3"	CT-3	6 lbs. 12 oz.
	28	26"	2 3/4"	IC/M	5 lbs. 14 oz.
	.410	26"	3"	IC/M	6 lbs. 6 oz.
SILVER II LITE	12	26"	3"	CT-3	6 lbs. 4 oz.
	20	26"	3"	CT-3	5 lbs. 12 oz.
SPORTING	12	28" - 30"	2 3/4"	CTS	7 lbs. 6 oz.
	20	28"	3"	CTS	7 lbs. 3 oz.

NOTE: ALL SPECIFICATIONS SUBJECT TO CHANGE BY MANUFACTURER.

SPECIFICATIONS

MODEL	GAUGE	BBL. LENGTH	CHAMBER	CHOKES	AVG. WEIGHT
WT/OU10	10	26"	3 1/2"	CT-2	9 lbs. 10 oz.
WS/OU12	12	28"	3 1/2"	CT-3	7 lbs. 2 oz.
TS/OU 12	12	24"	3 1/2"	CT-3	6 lbs. 14 oz.
NOMINAL DIMENSIONS	PULL	DROP AT COMB	DROP AT HEEL	CAST OFF	ASSEM. LGTH.*
SPORTING	14 1/4"	1 1/2"	2 1/2"	3/8"	45 1/2"
SILVER I & II	14 1/8"	1 3/8"	2 3/8"	3/8"	43 1/2"
SILVER UPLAND	14 1/8"	1 3/8"	2 3/8"	3/8"	43 1/2"
WT/OU10	14 1/2"	1 3/8"	2 3/8"	3/8"	44 1/2"
WS/OU12	14 1/4"	1 3/8"	2 3/8"	3/8"	45 1/2"
TS/OU 12	14 1/4"	1 3/8"	2 3/8"	3/8"	41 1/2"

Notes: Choke Tubes CTS = SK/SK/IC/M • CT2 = F/F • CT-3 = IC/M/F

*Length with shortest barrel

SILVER SIDE BY SIDE SHOTGUNS

The classic side-by-side shotgun is the oldest, most tested shotgun in the world; and a benchmark of the gunsmithing art. Knowledgeable shooters throughout the world consider the side-by-side to be the best handling and most versatile of all shotguns, due to its superb "between the hands" balance, compact design, a limited number of moving parts and instant choice of chokes. The side-by-side is unsurpassed for artistic grace and pride of ownership. The Basque series are crafted in the Basque region of North Central Spain where the gunsmithing art has been practiced for centuries.



- Selection – Three grades from field to specialty
- Field Models – 12 ga., 20 ga., 28 ga. and 410 bore
- Specialty Model – 12 ga. - 3 1/2" - Magnum Chambers
- Five Year Mechanical Warranty



The American Arms' Basque Series Shotguns offer such standard features as:

- one-piece frame machined from forged ordnance steel
- solid raised barrel ribs with matted sight planes and bead sight
- chrome molly steel barrels with hard chromed bores
- walnut stock and forends with cut checkering
- steel mono-block construction for strength and barrel alignment
- convenient top tang safeties



SPECIALTY SIDE BY SIDE 12 ga. - 3 1/2" Magnum Chamber

SPECIALTY: 12 ga. • 3 1/2" Magnum Chambers • Boxlock Action • Non-Reflective Wood and Metal Finishes • Solid Raised Ribs with Matted Plane • Walnut Pistol Grip Stocks and Semi-Beavertail Forearm • Cut Checkering • Cushioned Recoil Pad • Top Tang Safety • Chromed Bores • Extractors • AAI Choke Tubes (IC-M-F)

SILVER SIDE BY SIDE SHOTGUNS



GENTRY

12 ga. • 20 ga. • 28 ga. • .410 bore

GENTRY : 12, 20, 28 ga. and .410 bore, all chambered 3" except the 28 ga. chambered 2 3/4" • Boxlock Action • Fixed chokes • Single Selective Triggers with Top Tang Selector (28 & .410 with Double Triggers) • Extractor • Top

Tang Safety • Walnut Pistol Grip Stock and Semi-Beavertail Forearm with Cut Checkering • Cushioned Recoil Pad • Barrels with Chromed Bores and Raised Solid Rib • Engraved Frame with Antique Silver Finish



BRITTANY: Same as Gentry except 12 and 20 Ga. Only • AAI Choke Tubes (IC-M-F) • Auto Selective Ejector • English

Style Stock and Semi-Beavertail Forearm • Engraved Frame with Color Casehardened Finish.

SPECIFICATIONS

MODEL	GAUGE	BBL. LENGTH	CHAMBER	CHOKES	AVG. WEIGHT
GENTRY	12	28" - 26"	3"	M/F - IC/M	6 lbs. 15 oz.
	20	28" - 26"	3"	M/F - IC/M	6 lbs. 7 oz.
	28	26"	2 3/4"	IC/M	6 lbs. 5 oz.
	.410	26"	3"	IC/M	6 lbs. 7 oz.
BRITTANY	12	26"	3"	CT-3	6 lbs. 15 oz.
	20	26"	3"	CT-3	6 lbs. 7 oz.
TS/SS12	12	26"	3 1/2"	CT-3	7 lbs. 6 oz.

NOTE: ALL SPECIFICATIONS SUBJECT TO CHANGE BY MANUFACTURER.

SPECIFICATIONS

NOMINAL DIMENSIONS	PULL	DROP AT COMB	DROP AT HEEL	CAST OFF	ASSEM. LGTH.
Single Trigger	14 3/8"	1 3/8"	2 3/8"	3/8"	43"
Double Trigger	14 3/4"-13 5/8"	1 3/8"	2 3/8"	3/8"	43"

Notes: Choke Tubes CT-3 = IC/M/F

See Choke Tubes, page 3 (dimensions may vary slightly)

w/26" barrel

FRANCHI SEMI-AUTO

125 YEARS OF EXCELLENCE



MODEL 48/AL

12 ga., 20 ga., & 28 ga.

NEW FOR '96
28 GA.

This famous lightweight recoil operated 12 ga., 20 ga. & 28 ga. autoloader has been a top performer and seller for over 40 years. **FEATURES**: 2 3/4" chamber • 24", 26" or 28" barrels with vent rib and Franchoke choke tubes (IC, M, F), walnut stock and forearm with cut checkering • tubular magazine with 4 round capacity • push button cross bolt safety •

NOTE: The 28 ga. has fixed choke (IC) and 26" barrel.

SPECIFICATIONS

NOMINAL DIMENSIONS	PULL	DROP AT COMB	DROP AT HEEL	WGT.	ASSEM. LGTH.
12 GA. - 2 3/4"	14 1/4"	1 5/8"	2 1/2"	6 lb. 9 oz.	46 1/8"
20 GA. - 2 3/4"	14 1/4"	1 5/8"	2 1/2"	5 lb. 8 oz.	46 1/8"
28 GA. - 2 3/4"	14 1/4"	1 5/8"	2 1/2"	5 lb. 6 oz.	46 1/8"

w/26" barrel

Franchoke CT-3 (IC, M, F)

AMERICAN ARMS ESCORT

THE THINNEST, FLATTEST, SMOOTHEST .380 ACP
THE IDEAL "ESCORT" IN EVERY SENSE OF THE WORD



SHOWN
IN
ACTUAL
SIZE

FEATURES & SPECIFICATIONS:

• .380 ACP Caliber • "Double Action Only" (DAO) • Loaded Chamber Indicator • 8 Round Capacity with 7 round magazine • Stainless steel with matt finish • Soft polymer grips with matt finish • Patented sinusoidal polygonal barrel rifling • Low profile fixed sights • Disassemble into five (5) components without tools in less than one minute •

Weight: 19 oz.
O/A Length: 6 1/8"
O/A Height: 4 1/4"
Width: 13/16"
Barrel Length: 3 3/8"



AMERICAN ARMS AUSSIE

NEW FOR '96 AUSSIE SEMI-AUTO PISTOL

This Australian designed and patented firearm combines a polymer frame with a nicked steel slide and barrel. Available in 9mm or .40 S & W caliber. Features 10 shot capacity magazine. The ergonomically designed grip has comfortable finger grooves, checkered sides and back and conveniently positioned extended slide release. Beveled magazine well for quick insertion and release.

Unique to this pistol are its five (5) safeties – (1) Firing pin block (2) Positive trigger safety which must be released manually (3) Magazine drop safety - trigger will not engage with the magazine removed (4) Loaded chamber indicator (5) Slide lock safety – trigger will not engage if slide is not locked into position.

Slide remains open after last shot.

American Arms One Year Warranty.



AUSSIE

Caliber: 9mm
.40 S&W
O/A Length: 7 7/8"
O/A Height: 5 1/2"
Barrel Length: 4 3/4"
Mag. Capacity: 10 rds.
Weight: 23 oz.

To talk without thinking is to shoot without aiming.

ENGLISH PROVERB (18TH CENTURY)

.22 CLASSIC SEMI-AUTO PISTOLS



The Twenty-Two Pistol Classics have been designed and engineered by the Erma Werke Company of Germany and are manufactured and assembled by American Arms, Inc. in North Kansas City, Missouri.

The double action semi-automatic pistols, while having internal mechanical designs by Erma Werke, feature the classic external appearance of some of the most famous and historical pistols in the world like the Walther P-38 and Colt 1911 from World Wars I and II.

The manufacture of double action semi-automatic .22 LR pistols requires the use of precision parts and assembly with

exacting tolerances for proper function. Perhaps this is why there are so many .22 LR single action models and so few double action models available in today's market. In addition to precision double action function, the Twenty-Two Classic Series pistols, while not target pistols, feature bores, rifling and chambers made to target pistol specifications.

The Twenty-Two Classic Pistols undergo extensive quality inspection and evaluation. Every pistol is test fired with two full magazines using an assortment of high velocity .22 LR ammunition like Remington #1522, Winchester Super-X, CCI Stingers and Mini-Mags.



P- 98 CLASSIC
.22 LR Cal.,
8 + 1 Rd. capacity
5" Barrel
Length = 8 1/8"
Weight = 26 oz.

EXERT FROM "THE OLD MAN AND THE BOY" BY ROBERT RUARK

This little bobwhite, the Old Man told me, was a gentleman, and you had to approach him as gentleman to gentleman. You had to cherish him and look after him and make him very important in his own right, because there weren't many of him around and he was worthy of respectful shooting. The way you handled quail sort of kicked back on you. . . .

I never knew a man that hunted quail that didn't come out of it a little politer by comparison, the Old Man said. Associating with gentlemen can't hurt you.

FEATURES

Standard Features of the Twenty-Two Classics include:

- Straight blow back double action semi-automatics
- Manual hammer block safeties
- Polymer Grips
- Alloy frames for reduced weight and durability
- Durable blued/black finishes
- Front sights are fixed blade type
- Square notch rear sights are windage adjustable
- One Year Warranty!



PK- 22 CLASSIC
.22 LR Cal.,
8 + 1 Rd. capacity
3 1/3" Barrel
Length = 6 1/3"
Weight = 22 oz.
Plus Firing Pin Safety Block

SINGLE ACTION REVOLVERS



The REGULATOR and BUCKHORN models are replicas of the classic Colt 1873 Model P single action revolvers used by such legendary frontiersmen as Wyatt Earp and Wild Bill Hickock – the Peacemakers – in settling and bringing law and order to the American West in the late 19th century.

The Model REGULATOR, except for the addition of a modern hammer block safety, is so accurate in detail that the parts will interchange with the originals; and it retains the undeniable “four click sound” of the original when being fully cocked.

Standard Features Include:

- color casehardened steel frame
- polished brass or steel triggerguard & backstrap
- one piece walnut grips
- quick-draw grooved topstrap and blade front sight
- hammer block safety
- steel barrels and cylinders with blued finish

WARNING: There are many types of .44 and .45 caliber ammunition. Be sure you are using the proper ammunition as labeled on the barrel and/or cylinder. Consult your local dealer or call American Arms, Inc. if you have any doubt or questions related to the type of ammunition your revolver is designed for.



REGULATOR

REGULATOR:

.357 Mag., .44-40, .45 LC.

Two Cylinder Sets in calibers

.44-40/.44 Spec., .45LC/.45 ACP

Bbl. Lengths: 4 3/4", 5 1/2" & 7 1/2"

OAL: 8 1/6" – WT: 2 lb. 3 oz. (with 4 3/4" barrel)

SINGLE ACTION REVOLVERS



**BUCKHORN
TARGET**



**REGULATOR
DELUXE**

BUCKHORN TARGET:

.44 Rem. Mag. (.44 Special Interchangeability)

Popular Target Sights, front and rear

Barrel Lengths: 4 3/4", 6" and 7 1/2"

OAL: 11 3/4" (with 6" bbl.)

WGT: 2 lb. 12 oz. (with 6" bbl.)

REGULATOR DELUXE:

.45 LC caliber only

Same as Regulator (shown on page 7) except has steel triggerguard and backstrap.

UBERTI .454 (Available July '96)

Uberti has put his reputation for quality and design into this "beast" of a revolver in the massive .454 caliber. Available in two barrel lengths - 6" & 7 1/2". Both styles feature top "porting" to reduce recoil and increase recovery time to get back on the target. The 6" barrel has the solid raised rib which is not available on the 7 1/2" barrel. Satin nickel finish and fully adjustable rear sight. Hammer block safety and self guiding firing pin in the hammer. Custom style hardwood grips (final design may differ from those shown). Wide serrated trigger and guard has the off-hand finger rest necessary for a "two handed" hold. The true magnum handgun for the ultimate in handgun hunting.

NEW FOR '96



THE MODELS SHOWN BELOW ARE SOME OF THE MANY STANDARD MODEL REGULATOR VARIATIONS AVAILABLE. THESE VARIOUS MODELS ARE AVAILABLE IN LIMITED QUANTITY WITH SELECT DISTRIBUTION.



**REGULATOR DELUXE
(BIRDHEAD GRIP)**

**SHERIFF MODEL
(BIRDHEAD GRIP)**

**STOREKEEPER
(4" BARREL)**

**REGULATOR
ENGRAVED**

**REGULATOR
NICKEL**

**REGULATOR NICKEL
ENGRAVED**



LEVER ACTION RIFLES



The 1860 Henry, 1866 Winchester "Yellowboy" and the 1873 Winchester Lever Action Rifles represent benchmarks in the firearms industry. These rifles marked the beginning of the modern repeating rifle, the introduction of the centerfire metallic cartridge and the start of the Winchester Repeating Arms Company. Originals are ranked among the most valuable and desirable by firearms' collectors the world over.

The Lever Action Rifles shown above are authentic reproductions made by Aldo Uberti in Italy.

1860 HENRY

(Top Photo)

The first true repeating rifle to be both practical and reliable.

FEATURES & SPECIFICATIONS:

- .44/40 or .45 LC cal.
- 24 1/4" half octagonal barrel with forged steel tubular magazine
- Brass frame, elevator, magazine follower and buttplate
- Straight grip walnut buttstock

1866 WINCHESTER

(Middle Photo)

The first firearm to carry the Winchester name. The 1866 was essentially a Henry Rifle with the Winchester side port loading feature and an added forearm.

FEATURES & SPECIFICATIONS:

- .44/40 or .45LC cal.
- 24 1/4" tapered octagonal OR 19" round tapered carbine barrel
- Tubular Magazine
- Brass frame, elevator & buttplate
- Walnut buttstock & forearm

1873 WINCHESTER

(Bottom Photo)

An improved version of the Model 1866 for use with the new metallic centerfire cartridges. The original was only chambered in .44 W.C.F. (known today as .44/40)

FEATURES & SPECIFICATIONS:

- .44/40 or .45 LC cal.
- 24 1/4" tapered octagonal barrel
- Tubular Magazine
- Color case hardened steel frame with ejection port cover
- Brass elevator
- Walnut buttstock with steel buttplate



1873 WINCHESTER DELUXE

This 1873 Winchester Deluxe Sporting Rifle in .44/40 or .45LC caliber is available with special checkered pistol grip walnut stock and forearm with upgraded wood • Sporting tapered octagonal barrel • Color case hardened steel frame and lever • 24 1/4" Barrel • Vertically adjustable rear sight and horizontally adjustable front sight • Tubular magazine • Presentation Quality.



DELUXE SIGHT SET

Uberti Tang Peep Sight & Globe Front Sight. Blue Finish with interchangeable apertures. Fits original & reproduction 1873 Rifles. May be handfitted to other lever action models.

BLACK POWDER REVOLVERS



**1851 COLT NAVY, Brass Frame
.36 caliber**



**1851 COLT NAVY
Casehardened Steel Frame**

1860 COLT ARMY

Colt's reply to the 1858 Remington Army. Union troop issue sidearm in the Civil War and the following Indian Wars. • .44 caliber • 6 Shot Percussion Revolver • Engraved Blued Steel Cylinder • 8" Round Barrel With Creeping Loading Lever • Solid Brass Triggerguard and Backstrap • One Piece Walnut Grip • OAL - 13 1/2" • Weight - 44 oz.



**1860 COLT ARMY. Brass
Frame
.44 caliber**



**1860 COLT ARMY
Casehardened Steel Frame**



**1858 REMINGTON ARMY
.44 caliber
Stainless Steel Target Model**

1858 REMINGTON ARMY

Replica of the last of the Remington percussion revolvers. Saw extensive use in the Civil War. • .44 caliber • 6 Shot • 8" Octagon Barrel With Creeping Loading Lever • Two Piece Walnut Grips • OAL - 13" • Weight - 38 oz.

1858 ARMY TARGET - STAINLESS STEEL

(Shown at Left) Features Stainless Steel Barrel, Frame, Cylinder and Backstrap with Brass Triggerguard • Fully Adjustable Target Sights



**1858 REMINGTON ARMY
Casehardened Steel Frame
(Brass Frame Model
Not Shown)**

When you have shot one bird flying you have shot all birds flying. They are all different and they fly in different ways but the sensation is the same and the last one is as good as the first.

ERNEST HEMINGWAY



ACCESSORIES & GENERAL INFORMATION



ACCESSORY CHOKE TUBES

CHOKE TUBES	AMERICAN ARMS			FRANCHI	
	10 Ga.	12 Ga.	20 Ga.	12 Ga.	20 Ga.
Skeet		50120	50200	51120	51200
Imp. Cyl.	50104	50124	50204	51124	51204
Modified	50103	50123	50203	51123	51203
Imp. Mod.	—	50122	—	51122	—
Full	50101	50121	50201	51121	51201
X-Full	50109	50129	—	52129 (EXT)	—
Tube Wrench	50910	50912	50920	51912	51920

**Franchi and
American Arms
choke tubes
are NOT
interchangeable.**



The American Arms (AAI) interchangeable choke tube system includes multiple choke tubes and a tube wrench. Accessory tubes are available in SK (skeet), IC (improved cylinder), M (modified), IM (improved modified), F (full), and XF (extra full) chokes from your local dealer.

CHOKE TUBE FITTING

American Arms' choke tubes and Franchi choke tubes are not interchangeable. The Franchi 48AL, Silver Upland Lite, and Silver Competition models use Franchi choke tubes only. All other American Arms's models use American Arms' choke tubes.

USING STEEL SHOT

Steel loaded shotshells can be used in all American Arms, Inc. and Franchi shotguns. Full and Imp. Mod. chokes should not be used for steel shot loads. See the "usage of steel shot" section printed in the instruction manual packed with each shotgun for an explanation, and steel shot pattern performance guidelines.

ACCESSORY MAGAZINES AND BARRELS

MAGAZINES: Extra magazines are available for all American Arms pistols per specifications listed in this catalog.

FRANCHI BARRELS: Accessory or replacement barrels for the Model 48/AL are available in the gauges and barrel lengths shown in catalog.

PARTS - SERVICE - WARRANTY

All warranty service or warranty adjustments are performed at the American Arms factory. A complete warranty statement is included in the instruction manual packed with each firearm. Non-warranty parts and service are available for all models shown in this catalog. Parts can be ordered through your local dealer or gunsmith.

PRODUCT SPECIFICATIONS

American Arms, Inc. reserves the right to change or modify product specifications without notice. All weights and measurements are nominal averages. Wood is a natural product; weights, stock dimensions, wood grains and color may vary.

WHERE TO BUY

AMERICAN ARMS FIREARMS

The American Arms and Franchi firearms displayed in this catalog are supplied nationally by wholesale distributors who sell the product to the retail firearms dealer. No firearms dealer has the display or storage space that would be required for stocking every model made by every firearms manufacturer. If your local dealer does not stock or does not have a distributor supply source for American Arms firearms, he should contact the American Arms Customer Service Department to obtain a list of the national and regional distributors stocking the American Arms product line for resale to the dealer.

AMERICAN ARMS, INC.

715 Armour Road • N. Kansas City, Missouri 64116

Telephone: (816) 474-3161 • Fax: (816) 474-1225

EXERT FROM "THE OLD MAN AND THE BOY" BY ROBERT RUARK

"This ain't a very expensive gun," the Old Man said. "It's not a handmade gun, and it hasn't got any fancy engraving on it. But it'll shoot where you hold her, and if you hold her true she'll kill what you're aiming at. Some day when you go to work and get rich, you can take a trip to England and buy yourself a set of matched doubles, or you can get a special job built in this country with a lot of gold birds and dogs on it. But for you to learn to shoot with, this is all the gun you need right now."

Luigi Franchi and Franchi are registered trademarks of Luigi Franchi, S.p.A.; Walther P-38 is a registered trademark of Walther/Interarms; COLT is a registered trademark of Colt Industries; Remington is a registered trademark of Remington Arms Co., Inc.; Winchester and Winchester Super-X are registered trademarks of Olin/Winchester; CCI Stinger and CCI Mini Mags are registered trademarks of Blount Industries; Escort is a registered trademark of Sites S.p.A.